

Non-preferred terms proposed by NTL

May 2009

Comments by M. Kleiber, 3/20/09

Comments by NTL Staff (A. Wilson, A. Fox and K. Morrison)

1. **Active safety systems:** This should be a CT. Needed to pull together via RT2 refs. several headings from Dcmvg..., Collision avoidance systems, Active suspensions, etc. **OK**
2. **Aggregate interlock:** OK
3. **Airplane ambulances:** see my comment last month about air ambulances (better term should be air ambulance service, reflecting TRIS emphasis)
4. **Added new term “air ambulance services” (notation: Hbef) under emergency medical services because there is usage in TRIS for both the craft and the service.**
5. **Break and seat:** OK
6. **Cementitious materials:** Not all cementitious materials are cement unless “cement” is interpreted in the broadest sense as a binder. If the heading is used at all as a UF, it should go to “Binders” **OK**
7. **Checking...:** OK. **OK**
8. **DBR...:** OK but needs qualifier: DBP (Dowel bar retrofit) USE Dowel bar retrofit. **OK**
9. **Dense graded.... :** TRIS does not at this time have the ability to produce references of the kind: X use A and B. This also applies to proposed UFs: **Recycled asphalt pavements** and **Police training**, the latter needing USE Police and Training. Discuss this issue with TRIS manager. **OK – moved to further discussion worksheet**
10. **Drum plants:** OK
11. **Emergency reporting...:** OK
12. **Equivalent single-axle loads (and) ESAL:** These should point to “Traffic equivalence factor” and not to Axle loads, which is a broader term. **OK – moved to further discussion worksheet**
13. **FDR:** needs qualifier like DBR **OK**
14. **Flushing:** OK
15. **Full-depth...:** OK

16. **Helicopter ambulances:** see note under Airplane ambulances. This term stays with air ambulances. We added a new term, air ambulance services to handle the industry side of this term.
17. **HMA:** OK, but needs qualifier as in DBR and FDR. OK
18. **In-situ:** OK
19. **Integral abutment bridges:** OK
20. **Integral abutments:** This should remain an uncontrolled term since narrower terms should not be the UFs of Broader terms. OK – moved to further discussion worksheet
21. **Isolation joints:** Use ref. is in error. Not all isolation joints are on pavements. PCA says that isolation joints and expansion joints are the same. Perhaps that is a better USE ref. (to Expansion joints)? OK
22. **Municipal services:** Use reference is error because governments provide services but are not services themselves. Reference should be to: “Public service” (see Wikipedia) OK – moved to further discussion worksheet
23. **Police training:** see note under Dense graded....
24. **Semi-integral abutments:** Retain as uncontrolled terms. Do not make reference to broader term. OK – moved to further discussion worksheet
25. **Structural health monitoring:** OK